Banked Fryers



Higher Volume, Multi-Vat, Versatile Fryers



We've Got a Fryer for ANY size Food Service Establishment





Have Higher Sales Volumes and a Diverse Menu, but Limited Space? A GBF-SERIES BANKED FRYER BATTERY just might be the Answer

- The smaller GBF-35/50 requires only 35 or 50 lbs. of shortening per vat. Available as a 2 or 3-well battery.
- The medium-size GBF-70, holds 70 lbs. of shortening per vat. Available as a 2 or 3-well battery. Both models feature computer controllers, centralized on-board oil filtration and optionally, can be equipped with automatic basket lifts.



Both models are also available as a single fryer



GBF-70 can be purchased configured for direct connection to an existing Bulk Oil Management system, or equipped w/on-board hands-free oil top-off function.

An Extra Busy Kitchen Demands More POWER! Consider the EOF-20 SERIES BANKED FRYER BATTERY

- Each vat has capacity for 115 lbs. of shortening and can cook a large amount of product per drop (reference, 27-30 lbs. of cut chicken).
- Available as a 2 or 3-well battery and a single fryer.

Features multi-functional computer controllers, centralized on-board oil filtration and optionally, can be equipped with automatic basket lifts.

• LARGER 20" COOKING VATS PROVIDE THAT ADDED CAPACITY FOR HIGHER VOLUME ESTABLISHMENTS - YET THE FOOTPRINT IS SMALL ENOUGH NOT TO CROWD THE KITCHEN





The 2-well version is vailable with a unique split-vat configuration for the left-hand unit, providing two (2) completely separate 10" cook vats. Each is controlled and filtered independently; ideal for avoiding flavor transfer.

Super-High Volume Retail or Institutional Operations GET ULTIMATE CAPACITY with the EOF Banked Series





The SUPER-HIGH capacity Electric Open Vat Banked Fryer EOF-Series is a perfect solution for high volume frying operations, such as large chain supermarkets with full-service delis or offering "grab-and-go" prepared foods. Also, ideal for institutional operations needing to regularly prepare food for large numbers of people.

The easy-to-use EOF Series fryers are available in several different configurations... [1] 20" vat + [1] or [2] 24" vats... [2] 10" vats + [1] or [2] 24" vats, and feature mult-functional computer controllers, autobasket lifts, built-in product dump station and a centralized on-board oil filtration system.

FRYER VAT CAPACITIES

10" Vat:

Shortening 58 lbs. (26 kg) per vat

Product 12-15 lbs. (5-6 kg) cut chicken*

20" Vat:

Shortenind 115 lbs. (52 kg) per vat

Product 27-30 lbs. (12-14 kg) cut chicken*

24" Vat:

Shortening 170 lbs. (77 kg) per vat

Product 36-42 lbs. (16-19 kg) cut chicken*

The EOF10-10 version is a unique split-vat configuration for the left-hand unit, providing two (2) completely separate 10" cook vats. Each is controlled and filtered independently; ideal for avoiding flavor transfer.



If there is limited hood space in the kitchen, the SPACESAVER EOF20/24/24 version might be the solution. We eliminated the dump station for a shorter overall width.



All Giles Banked Fryers can be equipped with Giles' **KITCHENTRAC**° WiFi connectivity to provide remote monitoring of cooking and sales performance from any device; laptop, phone, or tablet. Fees apply.



^{*} Reference Only

GBF-35/50 & 70

Description:

Open-Vat, Electric, 2 or 3-well battery

*Also available as a single fryer.

Features:

- 14" & 18" fry vats... smaller overall footprint.
- Multi-Purpose Banked Fryer... User-friendly Computer Controllers... fifty (50) programmable cooking presets, Cool-Mode, Force Filter control, Low-Oil shutdown.
 - Deep cool zone minimizes carbonization of crumbs and cooking residue.
 - Optional automatic Basket Lifts.
 - · Centralized on-board Oil Filtration system.
 - GBF-70 can be factory-configured for direct connection to an existing Bulk Oil Management system, or equipped w/on-board, virtually hands-free, oil tip-off function
 - Durable stainless steel construction.



EOF-20 Series

Description:

Higher Capacity, Open-Vat, Electric Fryer; reduced footprint makes it ideal for high volume kitchens w/limited space.

*Also available as a single fryer.

Features:

- Two models: EOF-20/20 & EOF-20/20/20... 2 or 3-well battery.
- 20" Vats can cook up to 30 lbs. (13.6 kg) fried product.
- User-friendly Computer Controllers ... fifty (50) programmable cooking presets, Cool-Mode, Force Filter control, Low-Oil shutdown.
- Deep cool zone minimizes carbonization of crumbs and cooking residue.
- Optional automatic Basket Lifts.
- · Centralized, on-board Oil Filtration system.
- · Durable stainless steel construction.



EOF-20 Series w/Dump Station: Regular & Split-Vat Version

Description:

Super-High Capacity, Open-Vat, Electric Fryer; available w/a unique split-vat unit that can help control flavor transfer for some foods; convenient built-in dump station to receive cooked product.

Features:

- Four [4] Models: EOF-20/FFLT/24, EOF10-10/FFLT/24... smaller 2-well footprint EOF-20/FFLT/24/24, EOF10-10/FFLT/24/24... full-size 3-well
- 10" Vat can cook up to 15 lbs. (6.8 kg) fried product... [2] per unit.
- 20" Vat can cook up to 30 lbs. (13.6 kg) fried product... [1] per unit.
- 24" Vat can cook up to 42 lbs. (19 kg) fried product... [1] or [2] per unit.
- Split-vat can help control flavor transfer when cooking some products.
- User-friendly Computer Controllers... fifty (50) programmable cooking presets, Cool-Mode, Force Filter control, Low-Oil shutdown.
- Deep cool zone minimizes carbonization of crumbs and cooking residue.
- Automatic Basket Lift standard on [1] vat... optional for others.
- · Centralized on-board Oil Filtration system.
- · Built-in dump station for receiving & draining.





FOF-20/24/24

EOF-20/24/24 "Space Saver" w/o Dump Station

Description:

Super-High Capacity, Open-Vat, Electric Fryer; reduced overall width for limited hood or floor space applications.

Features:

- 3-well, smaller footprint, high volume fryer: EOF-20/24/24.
- [1] 20" Vat can cook up to 30 lbs. (13.6 kg) fried product.
- [2] 24" Vats can cook up to 42 lbs. (19 kg) fried product each.
- We eliminated the dump station to reduce overall width, allowing use of this high-volume fryer where hood space is limited.
- User-friendly Computer Controllers... fifty (50) programmable cooking presets, Cool-Mode, Force Filter control, Low-Oil shutdown.
- Deep cool zone minimizes carbonization of crumbs and cooking residue.
- Automatic Basket Lift standard on [1] vat... optional for others.
- · Centralized on-board Oil Filtration system.
- Durable stainless steel construction.

Giles Food Service Equipment

ISO 9001 Registered Company

2750 Gunter Park Drive West • Montgomery, AL 36109 USA Phone 334.272.1457 • Fax 334.239.4117 • Toll Free: 800.554.4537

www.gfse.com Email: services@gfse.com



Form 65890 (Rel. February 2023)

PROVEN & TRUSTED SINCE 1952